

Product Code: 01-070000

Page 1 of 5

Product Name: D³ DFA Cytomegalovirus Immediate Early Antigen Identification Kit

1. Information on the Substance/Preparation and Company

1.1	<u>Catalog #</u>	<u>Product name</u>
	01-070000	D ³ DFA Cytomegalovirus Immediate Early Antigen Identification Kit
		<u>Kit components</u>
	01-075010	CMV-IEA DFA Reagent
	01-00021	CMV Antigen Control Slide (individual, with positive and negative wells)
	01-090025	40X PBS Concentrate
	01-002007b	Mounting Fluid
1.2	<u>Company</u>	Diagnostic HYBRIDS, Inc. 1055 East State Street, Suite 100 Athens, OH 45701, USA (740) 589-3300 or (866) 344-3477
1.3	<u>In emergencies</u>	Call your local emergency center

2. Components and Hazardous Ingredients

<u>Kit Component</u>	<u>Hazardous Ingredients</u>	<u>Classification Substance</u>	<u>EINECS Nr.</u>
DFA Reagents	0.1% Sodium azide (NaN ₃)	T+, N, R28-32-50/53	247-852-1
	0.007% Evans Blue	T, R23/24, 33, 40	206-242-5
	Fluorescein Isothiocyanate (FITC)	Xi, R36/37/38	222-042-0
	Contains bovine and murine proteins		
40X PBS Concentrate	4% Sodium azide (NaN ₃)	T+, N, R28-32-50/53	247-852-1
	36% NaCl	Xi, O, R36/37/38	231-598-3
Mounting Fluid	60% Glycerol	Xi, R36/37/38	200-289-5
	0.1% Sodium azide (NaN ₃)	T+, N, R28-32-50/53	247-852-1
	250mM Tris(hydroxymethyl)aminomethane	Xi, R36/37/38	201-064-4
Antigen Control Slide [†]	Glass		

Classification key: Toxic (T); Very toxic (T+); Harmful (Xn); Irritant (Xi); Dangerous for the environment (N); Oxidizing agent (O); Explosive (E); Flammable (F)

[†] *Antigen Control Slides* are microscope slides onto which either cultured *non-infected* cells or *cytomegalovirus-infected* cells have been grown then fixed (killed) with acetone; a drying agent is included in the foil envelope to preserve antigen integrity; there is no residual acetone present.

3. Hazards Identification

DFA Reagent

Solution Toxic if swallowed

Irritating to eyes, respiratory system and skin

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Contains animal proteins. Allergy or hypersensitivity to proteins (e.g., antibodies).

PBS Concentrate (40X) and the diluted PBS Solution (1X)

Solution very Toxic if swallowed

Irritating to eyes, respiratory system and skin

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Mounting Fluid

Solution Toxic if swallowed

Irritating to eyes, respiratory system and skin

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Product Code: 01-070000

Page 2 of 5

Product Name: D³ DFA Cytomegalovirus Immediate Early Antigen Identification Kit

Antigen Control Slide

If glass slide is broken, may pose a cut-skin hazard.

4. First Aid Measures

- Eye contact:*
- Flush eyes immediately with water for 15 minutes, occasionally lifting the upper and lower eyelids
 - Consult a doctor/medical service if irritation persists
- Skin contact:*
- Rinse with plenty of water
 - Remove clothing before washing
 - Consult a doctor/medical service if irritation persists
- After inhalation:*
- Remove the victim into fresh air
 - Consult a doctor/medical service if breathing problems develop
- After ingestion:*
- Consult a doctor/medical service if you feel unwell

5. Fire Fighting Measures

- Suitable extinguishing media:*
- All non combustible extinguishing media allowed
- Unsuitable extinguishing media:*
- No data available
- Special exposure hazards:*
- Aqueous solutions of sodium azide, when mixed with acids, may liberate a toxic gas (hydrazoic acid).
 - Sodium azide may react with lead and copper plumbing to form highly explosive metal azides.
- Instructions:*
- Take account of toxic fire fighting water
 - Use fire fighting water moderately and contain it
- Special protective equipment for firefighters:*
- Heat/fire exposure: compressed air/oxygen apparatus
 - Heat/fire exposure: gas-tight suit

6. Accidental Release Measures

All Kit Components

- Personal protection:*
- See 8, below
- Environmental precautions:*
- Prevent soil and water pollution
 - Discharge according to local regulations
- Clean-up:*
- Take up liquid spill into absorbent material
 - Discharge of absorbed material according to local regulations
 - Clean contaminated surfaces with an excess of water
 - Wash clothing and equipment after handling

7. Handling and Storage

- Handling:*
- Product should be handled using Good Laboratory Practices.
 - Observe strict hygiene standards
 - Discharge according to local regulations
 - Remove and clean contaminated clothing
 - Handle and open the container with care
- Storage:*
- Keep away from: heat sources, acids, metals
 - 2° to 8°C; store in the dark

Product Code: 01-070000

Page 3 of 5

Product Name: D³ DFA Cytomegalovirus Immediate Early Antigen Identification Kit

8. Exposure Controls/Personal Protection

8.1 Exposure Limits

Chemical/Component	TLV/NIOSH REL	OSHA PEL	CAS No.
Sodium azide (as NaN ₃)	0.3 mg/m ³ ACGIH TLV-VL	Not listed	2628-22-8
Sodium azide (as HN ₃)	0.1 ppm	Not listed	7782-79-8
Glycerol (C ₃ H ₈ O ₃)	10 mg/m ³ ACGIH TLV-TWA	Not listed	56-81-5
Evans Blue	Not determined	Not listed	314-13-6
Fluorescein Isothiocyanate (FITC)	Not determined	Not listed	3326-32-7
Tris(hydroxymethyl)aminomethane	Not determined	Not listed	77-86-1

Information in above table from NIOSH Pocket Guide to Chemical Hazards, 2005.

Evans Blue (C₃₄H₂₄N₆O₁₄S₄•4Na): 1,3 - Naphthalenedisulfonic acid, 6,6' - ((3,3' - dimethyl-4,4' - biphenylene) bis (azo)) bis (4-amino-5-hydroxy- , tetrasodium salt)
5-Fluorescein Isothiocyanate (C₂₁H₁₁NO₅S): Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3',6'-dihydroxy-5-isothiocyanato-

8.2 Control of Exposure

Eye protection: ■ Safety glasses or Face shield

Hand protection: ■ Gloves

- Suitable materials: Butyl rubber, natural rubber, neoprene, nitrile rubber, polyethylene, PVC
- Hands should be washed after working with this product.

Skin protection: ■ Corrosion proof clothing

- Protective clothing

Respiratory protection: ■ Area ventilation is generally adequate; avoid generation of dusts, mists or other airborne forms when working with the product

- Insufficient ventilation: wear respiratory protection

9. Physical and Chemical Properties

DFA Reagents	: clear blue solutions; odorless
40X PBS Concentrate	: a clear solution; odorless
Mounting Fluid	: a clear colorless, slightly viscous, solution
Antigen Control Slide	: glass microscope slides, coated with a green pigment except for two clear areas; the clear areas are coated with acetone-fixed cellular material.

Note: Boiling and Freezing Points for all aqueous components are near those of pure water.

10. Stability and Reactivity

- *Stability:* All components are stable until expiry date if stored in specified conditions (see label)
- *Reactivity/Hazardous decomposition products:* No hazardous decomposition products are formed in high quantities
- *Conditions/Materials to avoid:* Keep away from metals and acids (Azide containing components)

11. Toxicological Information

Acute toxicity:

<i>Sodium azide:</i>	LD ₅₀ oral, rat	27 mg/kg
	LD ₅₀ dermal, rabbit	20 mg/kg
<i>Evans Blue:</i>	LD ₅₀ intraperitoneal mouse	340 mg/kg
<i>Glycerol:</i>	LD ₅₀ oral, mouse	4090 mg/kg
	LD ₅₀ oral, rat	12,600 mg/kg
<i>TRIS:</i>	LD ₅₀ oral, rat	5900 mg/kg
	LD ₅₀ dermal, mouse	1210 mg/kg
<i>NaCl:</i>	LD ₅₀ oral rat	3,000 mg/kg
	LD ₅₀ dermal, rat	> 10,000 mg/kg
<i>FITC:</i>	LD ₅₀ : Not available	

Product Code: 01-070000

Page 4 of 5

Product Name: D³ DFA Cytomegalovirus Immediate Early Antigen Identification Kit

Chronic toxicity:

<i>Sodium azide:</i>	<ul style="list-style-type: none"> ▪ Carcinogenicity (TLV-CL): A4 ▪ Target Organ(s): nerves, heart, brain, laboratory experiments have shown mutagenic effects
<i>Evans Blue:</i>	<ul style="list-style-type: none"> ▪ Carcinogen ▪ Target Organ(s): liver
<i>Glycerol:</i>	Target Organ(s): kidney
<i>TRIS:</i>	Target Organ(s): kidney, liver, gastrointestinal tract disturbances
<i>NaCl:</i>	Target Organ(s): skin, eyes, stomach
<i>FITC:</i>	Target Organ(s): lungs

Routes of exposure

- Ingestion, inhalation, eyes and skin
- Caution! Most components contain (a) substance(s) that are absorbed through the skin

Acute effects/symptoms

Sodium azide containing components: May be harmful or fatal by ingestion, inhalation or absorption through skin. Material may cause irritation to the skin and eyes. Exposure to material may cause the following: headache, nausea, vomiting, diarrhea, dizziness, weakness, blurred vision, shortness of breath, drop in blood pressure, bradycardia, and restlessness. May be fatal due to swelling of the brain and lungs and/or degeneration of the liver. Experiments have shown animals to produce hypotensive effects, demyelination of myelinated nerve fibers in the central nervous system, testicular damage, blindness, attacks of rigidity, hepatic and cerebral effects.

Evans Blue containing components: Harmful if swallowed, inhaled, or absorbed through skin.

Chronic effects

Sodium azide containing components: Prolonged or repeated exposure to material may cause the following: Hypotension, demyelination of myelinated nerve fibers in the central nervous system, testicular damage, blindness, and attacks of rigidity. Material may cause brain and liver damage. There is limited evidence that Sodium Azide is tumorigenic in laboratory animals. There is also limited evidence that Sodium Azide is mutagenic in laboratory cell cultures. Until further testing has been done, Sodium Azide should be treated as a possible mutagen and tumorigen in humans.

Evans Blue containing components: Overexposure may cause reproductive disorders based on tests with laboratory animals. Target Organ: liver (carcinogen).

See also Chronic Toxicity (above). Other components do not contain substances with a known chronic effect (e.g. carcinogenicity, mutagenicity, toxicity to reproduction)

12. Ecological Information

Aquatic toxicity:

<i>Sodium azide:</i>	LD ₅₀ (96 h):	0.8 mg/L (<i>Salmo gairdneri</i> / <i>Oncorhynchus mykiss</i>)
	LD ₅₀ (96 h):	0.7 mg/L (<i>Lepomis macrochirus</i>)
	LD ₅₀ (48 h):	9 mg/L (<i>Gammarus sp.</i>)

Other Information:

- *Effect on the ozone layer:* Not dangerous for the ozone layer (1999/45/EC)
- *Greenhouse effect:* No data available
- *Effect on waste water purification:* No data available

13. Waste Disposal Considerations

Provisions relating to waste: Hazardous waste (91/689/EEC)

Packaging/container:

- Waste material code packaging (91/689/EEC, Council Decision 2001/118/EC, O.J. L47 of 16/2/2001): 15 01 10 (packaging containing residues of or contaminated by dangerous substances)

Product Code: 01-070000

Page 5 of 5

Product Name: D³ DFA Cytomegalovirus Immediate Early Antigen Identification Kit

Disposal methods:

- All the kit components must be considered as hazardous waste. They should be disposed of following local regulations.
- Sodium azide reacts with lead and copper plumbing forming highly explosive metal azides. These azides may explode upon percussion, such as hammering. To prevent formation of lead or copper azide, flush drains thoroughly with water after disposing of solutions containing sodium azide. To remove contamination from old drains suspected of azide accumulation, the National Institute for Occupational Safety and Health recommends the following: (1) siphon liquid from trap using a rubber or plastic hose, (2) fill drain with 10% sodium hydroxide solution, (3) allow to stand for 16 hours, and (4) flush well with water.

14. Transport Information


No restrictions.



USA: Sodium azide, 4%: Department of Transportation, Office of Hazardous Materials Standards: 29 CFR part 1910.1200(g)(2)(i)(C)(1), Toxic and Hazardous Substances, Occupational Safety and Health Administration; and 49 CFR 173.4 – Small quantity exceptions

Canada: Sodium azide, 4%: Transport of Dangerous Goods Regulations: TDFR 1.31 Class 1, Explosives exception; and TDFR 1.17 Limited Quantity

15. Regulatory Information

Classification according to directives 67/548/EEC and 1999/45/EC

Symbol	40X PBS Concentrate (4% Sodium azide)
 T	R26/27/28: Very Toxic by inhalation, in contact with skin and if swallowed R32: Contact with acids liberates very toxic gas R36/37/38: Irritating to eyes, respiratory system and skin R50/53: Very Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R68: Possible risk of irreversible effects S28: After contact with skin, wash immediately with plenty of water S36: Wear suitable protective clothing S46: If swallowed, seek medical advice immediately and show this container or label S60: This material and its container must be disposed of as hazardous waste S61: Avoid release to the environment. Refer to special instructions safety data sheet

Symbol	DFA Reagent and Mounting Fluid (0.1% Sodium azide)
	R23/24/25: Toxic by inhalation, in contact with skin and if swallowed R32: Contact with acids liberates very toxic gas R36/37/38: Irritating to eyes, respiratory system and skin R50/53: Very Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R68: Possible risk of irreversible effects
 N	S35: This material and its container must be disposed of in a safe way S36: Wear suitable protective clothing S46: If swallowed, seek medical advice immediately and show this container or label S61: Avoid release to the environment. Refer to special instructions safety data sheet

16. Other Information

- Based on: US 29 CFR 1910:1200(g); Canadian Hazardous Product Act, Part II; Directive 91/155/EEC et seq.
- This product is designed for use by professionals.
- The above information is believed to be accurate and represents the information available to date, but Diagnostic Hybrids does not purport it to be all-inclusive; this should be used only as a guide.
- Refer to the Product Insert for this Product for additional details on the proper storage, handling, use, and disposal of the reagents included in this Product.
- Contact Diagnostic Hybrids, Inc. if additional information is required.

[End of Document]